



This technical drawing illustrates a cross-section of a roof truss system. The structure features a central ridge beam supported by vertical posts. On either side of the ridge, rafters are shown with diagonal bracing. A horizontal beam, likely a purlin or a support for a roof deck, runs across the width of the truss. This beam has a cross-hatched section on its right end, indicating a specific material or construction detail. The drawing is a black and white line drawing with hatching used to denote different materials or structural components.

| VE VÝKRR. | OZNAČENÍ | ROZMĚRY v mm | POČET | V. STŘEPU | ÚJONOST |
|-----------|-------------------|--------------|-------|-----------|-----------------|
| | | š x v x d | KS | V mm | Km ² |
| 1 | POT 575/902 | 160x230x750 | 14 | | 7,61 |
| 2 | POT 525/902 | 160x230x5250 | 14 | | 8,8 |
| 3 | POT 475/902 | 160x230x4750 | 11 | | 9,29 |
| 4 | POT 450/902 | 160x230x4500 | 26 | 290 | 9,69 |
| 5 | POT 500/902 | 160x230x5000 | 18 | | 9,01 |
| 6 | POT 400/902 | 160x230x4000 | 2 | | 10,91 |
| 7 | POT 275/902 | 160x230x2750 | 4 | | 12,55 |
| 8 | POT 625/902 | 160x230x6250 | 15 | 250 | 3,78 |
| | MIKAO 23/50 PTH | 400x230x250 | 1455 | | |
| | MIKAO 19/62,5 PTH | 525x190x250 | 296 | | |
| | MIKAO 19/50 PTH | 400x190x250 | 46 | | |

POZNÁMKA:

BETONAZ ŽEBER A VRCHNÍHO BETONU MUSÍ BÝT PROVEDENA NAEDNOU BEZ PŘERUŠENÍ. PRACOVNÍ SPÁRY JE MOŽNO PROVADEŤ NAD KER. TVÁRNICEMI VE SMĚRU TRAMCŮ UPPRISOŘED KER. TVÁRNIC. DO VRCHNÍHO BETONU MUSÍ BÝT VLOŽENA VÝTUŽ ZE SÍTÍ MIN. 4,0/200x4,0/200 S PŘESAHY MIN. 250 MM.

BETON C20/25 XC2 - ZÁLIVKA SÍŤE "KARI"

| | |
|----------|--|
| Změna | |
| Datum | |
| Podpis | |
| Index | |
| Schválil | |

0,000 = 269,00 ÚROVEŇ PODLAHY 1NP

astation

Hůrka 54, 530 02 Pardubice
IČ: 27542009, DIČ: C2727542009

Stavebník: Pardubický kraj, Komenského náměstí 125, 532 11 Pardubice

Zakázka: PSS Slatiňany - centrální kuchyně, prádelna a technické zázemí

| | |
|---------|-------------------------|
| odl: | D.1.2 - Stavebně-konstr |
| výkres: | SKLASBA STROPŮ |

| | |
|---|----|
| D | 02 |
|---|----|

Č. výtisku